



**Coastal**  
The Energy People

0021

April 4, 1991

007/605 #2  
**RECEIVED**

APR 05 1991

DIVISION OF  
OIL GAS & MINING

Mr. Michael Reed  
U.S. Environmental Protection Agency  
Water Management Division (8WM-C)  
1 Denver Place, Suite 500  
999 - 18th Street  
Denver, Colorado 80202-2413

RE: NPDES PERMIT UT-0023540

Dear Mr. Reed:

In accordance with the conditions of NPDES Discharge Permit UT-0023540, Part II - A-2 and Utah Mining Code Section 817.52(b)(i)(ii), Utah Fuel Company is herewith providing the required written notification of a failure to comply with the maximum effluent limitation for TDS at the 001 discharge point.

The problem occurred with the sample taken March 6, 1991, which had a TDS concentration of 1121 mg/l. This concentration exceeds the 1000 mg/l maximum limitation established in the current NPDES discharge permit. The laboratory report was received on April 1, 1991. We are currently investigating the cause of this increase in TDS concentration. We feel we will resolve the problem in the near future and that our TDS concentration will return to normal levels.

Sincerely,

*Keith W. Welch*  
For Keith W. Welch  
Environmental Coordinator

KWW/ak/2400

xc: Division of Oil, Gas & Mining  
Division of Environmental Health  
Glen A. Zumwalt  
Keith Welch  
Ken May

**Utah Fuel Company**

A SUBSIDIARY OF THE COASTAL CORPORATION  
P. O. BOX 719 • HELPER UT 84526 • 801/637-7925 • FAX 801/637-7929  
SALT LAKE 801/596-7111